

L Number	Hits	Search Text	DB	Time stamp
1	14038	intermedia\$3 near2 (unit system destination server)	USPAT; IBM_TDB	2004/09/28 19:40
2	6060	((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (code\$1 pin number\$1)	USPAT; IBM_TDB	2004/09/28 19:44
3	197	((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (code\$1 pin number\$1)) near7 (signature\$1 (digital\$2 near2 sign\$6))	USPAT; IBM_TDB	2004/09/28 18:39
4	4	(intermedia\$3 near2 (unit system destination server)) and ((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (code\$1 pin number\$1)) and (((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (code\$1 pin number\$1)) near7 (signature\$1 (digital\$2 near2 sign\$6)))	USPAT; IBM_TDB	2004/09/28 18:41
5	2411	((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (code\$1 pin number\$1)) AND (signature\$1 (digital\$2 near2 sign\$6))	USPAT; IBM_TDB	2004/09/28 18:44
6	92	(intermedia\$3 near2 (unit system destination server)) and ((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (code\$1 pin number\$1)) and (((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (code\$1 pin number\$1)) AND (signature\$1 (digital\$2 near2 sign\$6)))	USPAT; IBM_TDB	2004/09/28 18:41
7	2	((intermedia\$3 near2 (unit system destination server)) and ((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (code\$1 pin number\$1)) and (((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (code\$1 pin number\$1)) AND (signature\$1 (digital\$2 near2 sign\$6)))) and ((second\$3 another) near (channel\$1 path\$1))	USPAT; IBM_TDB	2004/09/28 18:48
8	4772	(authenticat\$4 authoriz\$6 authoris\$6 ) near (code\$1 pin number\$1)	USPAT; IBM_TDB	2004/09/28 18:44
9	2036	((authenticat\$4 authoriz\$6 authoris\$6 ) near (code\$1 pin number\$1)) AND (signature\$1 (digital\$2 near2 sign\$6))	USPAT; IBM_TDB	2004/09/28 18:51
10	16685	username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1))	USPAT; IBM_TDB	2004/09/28 18:51
11	7195	(authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1)	USPAT; IBM_TDB	2004/09/28 19:05
12	620	((authenticat\$4 authoriz\$6 authoris\$6 ) near (code\$1 pin number\$1)) AND (signature\$1 (digital\$2 near2 sign\$6))) and (username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1)))	USPAT; IBM_TDB	2004/09/28 18:47
13	332	((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1)) and (((authenticat\$4 authoriz\$6 authoris\$6 ) near (code\$1 pin number\$1)) AND (signature\$1 (digital\$2 near2 sign\$6))) and (username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1))))	USPAT; IBM_TDB	2004/09/28 18:51
14	3	((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1)) and (((authenticat\$4 authoriz\$6 authoris\$6 ) near (code\$1 pin number\$1)) AND (signature\$1 (digital\$2 near2 sign\$6))) and (username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1)))) and ((second\$3 another) near (channel\$1 path\$1))	USPAT; IBM_TDB	2004/09/28 19:42

15	294	((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1)) and (intermedia\$3 near2 (unit system destination server))	USPAT; IBM_TDB	2004/09/28 18:51
16	17005	userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1))	USPAT; IBM_TDB	2004/09/28 18:51
17	155	((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1)) and (intermedia\$3 near2 (unit system destination server))) and (userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1)))	USPAT; IBM_TDB	2004/09/28 18:51
18	86	((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1)) and (intermedia\$3 near2 (unit system destination server))) and (userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1)))) AND (signature\$1 (digital\$2 near2 sign\$6))	USPAT; IBM_TDB	2004/09/28 19:39
19	85	((authenticat\$4 authoriz\$6 authoris\$6 validat\$4) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1)) and (intermedia\$3 near2 (unit system destination server))) and (userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1)))) AND (signature\$1 (digital\$2 near2 sign\$6))) and (password\$1 code pin passcode\$1 passphrase\$1)	USPAT; IBM_TDB	2004/09/28 19:47
20	3868	(authentication authorization authorisation validation verificaiton) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1)	USPAT; IBM_TDB	2004/09/28 19:45
21	1496	(userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1))) AND ((authentication authorization authorisation validation verificaiton) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1))	USPAT; IBM_TDB	2004/09/28 19:39
22	1430	((userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1))) AND ((authentication authorization authorisation validation verificaiton) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1))) and (password\$1 code pin passcode\$1 passphrase\$1)	USPAT; IBM_TDB	2004/09/28 19:47
23	774	((userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1))) AND ((authentication authorization authorisation validation verificaiton) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1))) and (password\$1 code pin passcode\$1 passphrase\$1)) AND (signature\$1 (digital\$2 near2 sign\$6))	USPAT; IBM_TDB	2004/09/28 19:59
24	16775	(destination intermedia\$3) near (node\$1 unit\$1 system\$1 server\$1)	USPAT; IBM_TDB	2004/09/28 19:41
25	90	((userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1))) AND ((authentication authorization authorisation validation verificaiton) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1))) and (password\$1 code pin passcode\$1 passphrase\$1)) AND (signature\$1 (digital\$2 near2 sign\$6))) and ((destination intermedia\$3) near (node\$1 unit\$1 system\$1 server\$1))	USPAT; IBM_TDB	2004/09/28 19:41

26	1	((((( userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1))) AND ((authentication authorization authorisation validation verificaiton) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1))) and (password\$1 code pin passcode\$1 passphrase\$1)) AND (signature\$1 (digital\$2 near2 sign\$6))) and ((destination intermedia\$3) near (node\$1 unit\$1 system\$1 server\$1))) and ((second\$3 another) near (channel\$1 path\$1))	USPAT; IBM_TDB	2004/09/28 19:42
27	3292	(authenticat\$4 authoriz\$6 authoris\$6) near (code\$1)	USPAT; IBM_TDB	2004/09/28 19:44
28	186	((userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1))) near8 ((authentication authorization authorisation validation verificaiton) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1)))	USPAT; IBM_TDB	2004/09/28 19:45
29	181772	((predetermin\$3 determin\$3 pre-determin\$3 according select\$3) near2 (destination\$1 location\$1 address\$2))	USPAT; IBM_TDB	2004/09/28 19:58
30	49	((userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1))) near8 ((authentication authorization authorisation validation verificaiton) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1))) and ((predetermin\$3 determin\$3 pre-determin\$3 according select\$3) near2 (destination\$1 location\$1 address\$2))	USPAT; IBM_TDB	2004/09/28 19:47
31	48	((userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1))) near8 ((authentication authorization authorisation validation verificaiton) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1))) and ((predetermin\$3 determin\$3 pre-determin\$3 according select\$3) near2 (destination\$1 location\$1 address\$2))) and (password\$1 code pin passcode\$1 passphrase\$1)	USPAT; IBM_TDB	2004/09/28 19:57
32	48	((userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1))) near8 ((authentication authorization authorisation validation verificaiton) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1))) and ((predetermin\$3 determin\$3 pre-determin\$3 according select\$3) near2 (destination\$1 location\$1 address\$2))) and (((authenticat\$4 authoriz\$6 authoris\$6) near (code\$1)) (password\$1 code pin passcode\$1 passphrase\$1))	USPAT; IBM_TDB	2004/09/28 19:59
34	16	((userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1))) near8 ((authentication authorization authorisation validation verificaiton) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1))) and ((predetermin\$3 determin\$3 pre-determin\$3 according select\$3) near2 (destination\$1 location\$1 address\$2))) and ((authenticat\$4 authoriz\$6 authoris\$6) near (code\$1))	USPAT; IBM_TDB	2004/09/28 20:11
36	165	((userid username\$1 ((user\$2 client\$2) near (name identit\$3 id identification\$1))) near8 ((authentication authorization authorisation validation verificaiton) near (unit\$1 node\$1 server\$1 system\$1 workstation\$1))) and (destination\$1 location\$1 address\$2)	USPAT; IBM_TDB	2004/09/28 19:59

38	28		USPAT; IBM_TDB	2004/09/28 19:59
39	21		USPAT; IBM_TDB	2004/09/28 20:00

L Number	Hits	Search Text	DB	Time stamp
40	9743	((705/53) or (705/67) or (705/72) or (705/75) or (705/78) or (705/77) or (370/312) or (370/329) or (370/335) or (370/341) or (380/229) or (380/232) or (380/241) or (709/200) or (709/203) or (709/202) or (713/200) or (713/201) or (713/202) or (713/154) or (713/155) or (713/161) or (713/168) or (713/176) or (713/180) or (713/183)).CCLS.	USPAT; IBM_TDB	2004/09/28 20:18
41	1014	((705/53) or (705/67) or (705/72) or (705/75) or (705/78) or (705/77) or (370/312) or (370/329) or (370/335) or (370/341) or (380/229) or (380/232) or (380/241) or (709/200) or (709/203) or (709/202) or (713/200) or (713/201) or (713/202) or (713/154) or (713/155) or (713/161) or (713/168) or (713/176) or (713/180) or (713/183)).CCLS.) and (authenticat\$3 near (node\$1 unit\$1 server\$1 system\$1))	USPAT; IBM_TDB	2004/09/28 20:28
42	510521	password\$1 passcode\$1 pin (user near code\$1) (authenticat\$3 near code\$1)	USPAT; IBM_TDB	2004/09/28 20:20
43	763	((705/53) or (705/67) or (705/72) or (705/75) or (705/78) or (705/77) or (370/312) or (370/329) or (370/335) or (370/341) or (380/229) or (380/232) or (380/241) or (709/200) or (709/203) or (709/202) or (713/200) or (713/201) or (713/202) or (713/154) or (713/155) or (713/161) or (713/168) or (713/176) or (713/180) or (713/183)).CCLS.) and (authenticat\$3 near (node\$1 unit\$1 server\$1 system\$1))) and (password\$1 passcode\$1 pin (user near code\$1) (authenticat\$3 near code\$1))	USPAT; IBM_TDB	2004/09/28 20:21
44	384	((705/53) or (705/67) or (705/72) or (705/75) or (705/78) or (705/77) or (370/312) or (370/329) or (370/335) or (370/341) or (380/229) or (380/232) or (380/241) or (709/200) or (709/203) or (709/202) or (713/200) or (713/201) or (713/202) or (713/154) or (713/155) or (713/161) or (713/168) or (713/176) or (713/180) or (713/183)).CCLS.) and (authenticat\$3 near (node\$1 unit\$1 server\$1 system\$1))) and (password\$1 passcode\$1 pin (user near code\$1) (authenticat\$3 near code\$1))) and (signature\$1 (digital\$3 near sign\$7))	USPAT; IBM_TDB	2004/09/28 20:27
45	357	((705/53) or (705/67) or (705/72) or (705/75) or (705/78) or (705/77) or (370/312) or (370/329) or (370/335) or (370/341) or (380/229) or (380/232) or (380/241) or (709/200) or (709/203) or (709/202) or (713/200) or (713/201) or (713/202) or (713/154) or (713/155) or (713/161) or (713/168) or (713/176) or (713/180) or (713/183)).CCLS.) and (authenticat\$3 near (node\$1 unit\$1 server\$1 system\$1))) and (password\$1 passcode\$1 pin (user near code\$1) (authenticat\$3 near code\$1))) and (signature\$1 (digital\$3 near sign\$7))) and (username\$1 userid id identification\$1)	USPAT; IBM_TDB	2004/09/28 20:25
46	34069	(location\$1 address\$2 destination\$1) near8 (username\$1 userid id identification\$1)	USPAT; IBM_TDB	2004/09/28 20:22

47	114	(((((705/53) or (705/67) or (705/72) or (705/75) or (705/78) or (705/77) or (370/312) or (370/329) or (370/335) or (370/341) or (380/229) or (380/232) or (380/241) or (709/200) or (709/203) or (709/202) or (713/200) or (713/201) or (713/202) or (713/154) or (713/155) or (713/161) or (713/168) or (713/176) or (713/180) or (713/183)).CCLS.) and (authenticat\$3 near (node\$1 unit\$1 server\$1 system\$1))) and (password\$1 passcode\$1 pin (user near code\$1) (authenticat\$3 near code\$1))) and (signature\$1 (digital\$3 near sign\$7))) and (username\$1 userid id identification\$1)) and ((location\$1 address\$2 destination\$1) near8 (username\$1 userid id identification\$1))	USPAT; IBM_TDB	2004/09/28 20:22
48	22746	((verif\$8 validat\$5 compar\$5 check\$3) near4 (username\$1 userid id identification\$1)	USPAT; IBM_TDB	2004/09/28 20:28
49	6955	((password\$1 passcode\$1 pin (user near code\$1) (authenticat\$3 near code\$1)) and ((verif\$8 validat\$5 compar\$5 check\$3) near4 (username\$1 userid id identification\$1))	USPAT; IBM_TDB	2004/09/28 20:27
50	2675	((password\$1 passcode\$1 pin (user near code\$1) (authenticat\$3 near code\$1)) and ((verif\$8 validat\$5 compar\$5 check\$3) near4 (username\$1 userid id identification\$1))) and (signature\$1 (digital\$3 near sign\$7))	USPAT; IBM_TDB	2004/09/28 20:27
51	1162	((location\$1 address\$2 destination\$1) near8 (username\$1 userid id identification\$1)) and (((password\$1 passcode\$1 pin (user near code\$1) (authenticat\$3 near code\$1)) and ((verif\$8 validat\$5 compar\$5 check\$3) near4 (username\$1 userid id identification\$1))) and (signature\$1 (digital\$3 near sign\$7)))	USPAT; IBM_TDB	2004/09/28 20:27
52	12448	((verif\$8 validat\$5 compar\$5 check\$3) near4 (password\$1 passcode\$1 pin (user near code\$1) (authenticat\$3 near code\$1))	USPAT; IBM_TDB	2004/09/28 20:28
53	409	((location\$1 address\$2 destination\$1) near8 (username\$1 userid id identification\$1)) and (((password\$1 passcode\$1 pin (user near code\$1) (authenticat\$3 near code\$1)) and ((verif\$8 validat\$5 compar\$5 check\$3) near4 (username\$1 userid id identification\$1))) and (signature\$1 (digital\$3 near sign\$7))) and ((verif\$8 validat\$5 compar\$5 check\$3) near4 (password\$1 passcode\$1 pin (user near code\$1) (authenticat\$3 near code\$1)))	USPAT; IBM_TDB	2004/09/28 20:28
54	140	((location\$1 address\$2 destination\$1) near8 (username\$1 userid id identification\$1)) and (((password\$1 passcode\$1 pin (user near code\$1) (authenticat\$3 near code\$1)) and ((verif\$8 validat\$5 compar\$5 check\$3) near4 (username\$1 userid id identification\$1))) and (signature\$1 (digital\$3 near sign\$7))) and ((verif\$8 validat\$5 compar\$5 check\$3) near4 (password\$1 passcode\$1 pin (user near code\$1) (authenticat\$3 near code\$1))) and (authenticat\$3 near (node\$1 unit\$1 server\$1 system\$1))	USPAT; IBM_TDB	2004/09/28 20:28